

1

1.

1 10 26 —

2

10 29

3 10 26

13 



4

2.

1

13:00 

2
24
24

48
11 5
<37.3

3 7

— 7 —

3.

1.

2.

3.

4.

48

24
24

5.

151

7

6.

7.

1.
10%-20%

2.

7



1

3

48



3

7

24

24



3.

4.

2

5.

1 5 

1 24 



1.

1

/

80

30



2

4 10 1
 1

3

200




2.

7

—

7





3.

1

1


—

4.




)

(



WS/T 396-2012

2 3 

20 30

5.

1

1.

2. $\frac{60}{7}$

7

1

3. $\frac{1}{2}$

4.

1

$\frac{1}{2}$

2

$\frac{1}{3}$

$\frac{1}{3}$

3

5.

1

2

6.

1




1.
37.3

2.

1

3.



4.



5.



1.



2.



1.

2.




2

2

3.

((

—





XX

XX



XX

XX

XX



XXX

XXXX

XXXX

XX

—




4.



1.

2.



1.

2.

7


—



—

1.

20 30

2.

250mg/L 500mg/L

30

250mg/L 500mg/L

30



3.

4.

500 mg/L

1 84

5%

1:99

2

12% 20 / 1

4.8

3

500mg/ 1

1

75%